

ALL-IN-ONE set of hand dryer, soap dispenser and tap



Description

The ALL-IN-ONE hand washing and drying set is a wall-mounted integrated unit composed of three automatic, touchless elements: **hand dryer, water tap and soap dispenser**. It is a complete and professional solution for public bathrooms, designed to optimise space, reduce usage time and prevent water splashing on the floor.

This system was designed to operate as a single unit or with its components used independently, and is especially suitable for public bathroom projects with a technical room or technical wall behind the installation area, allowing for a visually clean and organised environment.

Automatic hand dryer

The automatic hand dryer is wall-mounted and allows fast and efficient drying in approximately 10 to 15 seconds through a powerful air jet with adjustable speed between

Features

Marca

Categoria **3in1 Dryer +
Faucet +
Dispenser**

Price

Price with discount	2.097,46 €
Price without discount	2.207,85 €
Without VAT	1.705,25 €

Product in Store

[ALL-IN-ONE set of hand dryer, soap dispenser and tap](#)

190 and 400 km/h. The entire drying system is designed to direct residual water directly into the sink, contributing to a cleaner and safer space.

The **dryer body is manufactured in AISI 304 stainless steel with a glossy finish and a thickness of 1.5 mm**, ensuring high resistance and durability in intensive-use environments. The visible taps feature a **bright chrome-plated brass finish**. The set is also **available in PVD finishes, including Bronze, Copper and Gold**.

- Dryer technical specifications:
 - Power supply: 220–240 V, 50/60 Hz;
 - Total power: 420 to 1,500 W;
 - Motor power: 420 to 1,100 W;
 - Motor speed: 19,000 to 30,000 rpm;
 - Heating element: 400 W with ON/OFF switch;
 - Standby consumption: 0.3 W;
 - Electrical insulation: Class I;
 - Protection rating: IP23;
 - Air temperature (at 10 cm and 22 °C): 42 °C;
 - Noise level (at 2 m): 67 to 72 dBA;
 - Dimensions: 330 × 213 × 170 mm;
 - Automatic safety cut-off: 60 seconds;
 - Available options: HEPA filter, Ion Hygienic technology, air freshener tablet, plug-in system.

Automatic water tap

The automatic water tap is wall-mounted and manufactured in chrome-plated brass with a glossy finish. It operates via an infrared sensor, allowing touchless use

and contributing to efficient water consumption management.

- Tap technical specifications:
 - Sensor range: 5 to 25 cm;
 - Power supply: 220–240 V adapter or 4 AA 1.5 V batteries;
 - Water flow rate: 5.0 L/min at 3 bar;
 - Working pressure: 1 to 3 bar;
 - Automatic safety cut-off: 60 seconds;
 - WRAS certification.

Automatic soap dispenser

The automatic soap dispenser is also wall-mounted and manufactured in chrome-plated brass with a glossy finish. The soap reservoir is removable, making refilling easier, and is equipped with a high-resistance anti-drip valve.

- Dispenser technical specifications:
 - Reservoir capacity: 1.5 L;
 - Adjustable soap dose: 0.5 to 2.0 ml;
 - Sensor range: 5 to 25 cm;
 - Power supply: 220–240 V adapter or batteries;
 - Battery life: up to 60,000 cycles;
 - Recommended soap viscosity: 100 to 3,500 cps.

Installation conditions: for correct installation of the ALL-IN-ONE set, the sink must have a minimum depth of 120 mm, with vertical walls and edges that are not excessively

rounded, in order to prevent splashing and ensure proper water drainage.

Documents

[Technical Data Sheets - ES \(282.53 Kb\)](#)

[Certificates - 1 \(391.1 Kb\)](#)

[Certificates - 2 \(48.04 Kb\)](#)

[Certificates - 3 \(62.72 Kb\)](#)